

cement design®

BROCHURE

.....

**PRODUCTO BIOCAL**  
**BIOCAL PRODUCT**

cement design

# "Cambiamos el presente hacia un Bio futuro"

"We change the present into a Bio future"

**Pasión**

Passion

**Vanguardia**

Vanguard

**Innovación**

Innovation

**Profesionalidad**

Professionalism

**Conciencia ecológica**

Eco Conscience

## Misión

Mejorar y renovar los espacios de hábitat y trabajo de nuestros clientes con soluciones exclusivas, versátiles y funcionales

## Mission

To improve and to renew the living and working areas of our customers with exclusive, versatile and functional solutions.

# BIOCAL

## Descripción y aplicación

Biocal es un producto de aspecto y acabado natural, aplicable en paramentos verticales y techos tanto en interiores como exteriores y en mobiliario de interiores. Su textura arenosa y natural se realza con terminaciones mate.

- Sistema de aplicación:

Deberemos de adaptar el sistema de aplicación dependiendo de las condiciones de la superficie.

Biocal se presenta en formato monocomponente.

La aplicación de Biocal se realiza por medios manuales aplicando dos capas seguidas en estado semiseco. Una vez secas las capas aplicadas se procederá a lijar la superficie con lija de 220, seguidamente limpiaremos el polvo resultante y procederemos a sellar el acabado con Sellador L. Ya habiendo secado el sellador L procederemos a suavizar la textura puliendo el acabado con lija de 400.

# BIOCAL

## Description and application

Biocal is a product with a natural appearance and finish, applicable on vertical walls and ceilings both indoors and outdoors and on interior furniture. Its natural, sandy texture is enhanced by matte finishes.

- Application system:

We will have to adapt the application system depending on the surface conditions. Biocal is presented in a one-component format. The application of Biocal is carried out by manual means applying two consecutive coats in a semi-dry state. Once the applied layers are dry, we will proceed to sand the surface with 220 grit sandpaper, then we will clean the resulting dust and proceed to seal the finish with Sealer L. Once the sealer L has dried, we will proceed to smooth the texture by polishing the finish with 400 grit sandpaper.

cement design®



*cement design®*



*cement design®*



*cement design®*



*cement design®*





*cement design®*



*cement design®*



cement design®



LÍMITE SUR  
de  
RAMÓN BILBAO



*cement design®*



*cement design®*



*cement design®*



*cement design®*



cement design®





cement design®



*cement design®*



cement design®



cement design®

[www.cement-design.com](http://www.cement-design.com)

Instagram @cementdesignofficial

Facebook Cement Design Official

Cement Design Sede Central

Camino Del Avenida 2 - s/n

Pantoja-Toledo, España

[info@cement-design.com](mailto:info@cement-design.com)

cement design